

Mathematics

TEST & EXAM PREPARATION

Anne Eadie, Gretel Lampe & Tracy Howie

GRADE

8

CAPS

2-in-1



THE
ANSWER
SERIES *Your Key to Exam Success*



Grade 8 **Mathematics** 2-in-1 CAPS

TEST & EXAM PREPARATION

The Answer Series Grade 8 Maths 2-in-1 study guide walks you through the fundamentals of critical concepts such as algebra and geometry, helping you to build a thorough understanding of every topic. With this strong foundation, your logic and mathematical reasoning will develop profoundly.

This 2-in-1 publication includes:

- Topic-based graded questions and full answers – to develop a step-by-step, thorough understanding of theory, techniques and concepts in every topic.
- Exam papers with full, detailed solutions.

Key features:

- Step by step, methodical approach
- Comprehensive answers, explanations and advice boxes
- Exam Papers with detailed memos – to put theory into practice and reinforce concepts in an exam format.

This Grade 8 Maths study guide is highly beneficial for learners of all levels and builds a strong base for future mathematical development.

GRADE

8

CAPS

2-in-1

Mathematics

Anne Eadie, Gretel Lampe & Tracy Howie

Also available

**GRADE 8
MATHS COMPANION**

Workbook 1: Terms 1 & 2
Workbook 2: Terms 3 & 4
& Answer book


THIS STUDY GUIDE INCLUDES

1 Questions in Topics

2 Examination Papers

Detailed solutions are provided for both sections



eBook
available 

CONTENTS

TOPIC-BASED QUESTIONS

	Questions	Answers
PAPER 1	1 Whole Numbers	1 A1
	2 Integers	13 A17
	3 Exponents	16 A21
	4 Numeric & Geometric Patterns	19 A25
	5 Functions & Relationships (Part 1)	21 A27
	6 Algebraic Expressions (Part 1)	23 A29
	7 Algebraic Equations (Introduction)	25 A32
	8 Algebraic Expressions (Part 2)	26 A33
	9 Algebraic Equations (Part 1)	29 A36
PAPER 2	10 Construction of Geometric Figures	30 A38
	11 Geometry of 2D Shapes	35 A47
	12 Geometry of Straight Lines	41 A52



See *EUCLIDEAN GEOMETRY: THEOREM STATEMENTS AND ACCEPTABLE REASONS* at the back of the book.

	Questions	Answers
PAPER 1	13 Common Fractions	45 A55
	14 Decimal Fractions & Percentages	47 A60
	15 The Theorem of Pythagoras	49 A63
PAPER 2	16 Area & Perimeter of 2D Shapes	51 A65
	17 Volume & Total Surface Area of 3D Objects	54 A69
	18 Data Handling	57 A72
PAPER 1	19 Functions & Relationships (Part 2)	66 A81
	20 Algebraic Equations (Part 2)	68 A84
	21 Graphs	69 A87
PAPER 2	22 Transformation Geometry	75 A91
	23 Geometry of 3D Objects	78 A94
	24 Probability	81 A95



Exam Papers
Exam Memos

... **Page E1**
... **Page M1**

Amended Teaching Plan for 2023/2024

TERM 1

1	Whole Numbers	1
2	Integers	13
13	Common Fractions	45
14	Decimal Fractions & Percentages	47

TERM 2

3	Exponents	16
4	Numeric & Geometric Patterns	19
5	Functions & Relationships (Part 1)	21
19	Functions and Relationships (Part 2)	66
6	Algebraic Expressions (Part 1)	23

TERM 3

8	Algebraic Expressions (Part 2)	26
7	Algebraic Equations (Introduction)	25
9	Algebraic Equations (Part 1)	29
20	Algebraic Equations (Part 2)	68
12	Geometry of Straight Lines	41
11	Geometry of 2D Shapes	35

TERM 4

21	Graphs	69
15	The Theorem of Pythagoras	49
16	Area & Perimeter of 2D Shapes	51

Topics not in the ATP 2023/2024

10	Construction of Geometric Figures	30
17	Volume and Total Surface Area of 3D Objects	54
18	Data Handling	57

22	Transformation Geometry	75
23	Geometry of 3D Objects	78
24	Probability	81

8 ALGEBRAIC EXPRESSIONS (Part 2)

Sum	➔	+	... Add
Difference	➔	-	... Subtract
Product	➔	x	... Multiply
Quotient	➔	÷	... Divide



Algebraic Language



Exercise 8.1

Answers on p. A33

Algebraic expressions can be used to translate word problems into Mathematics.

1. Write algebraic expressions for the following statements, making the unknown number x .

- 1.1 The **sum** of an unknown number and 7. (1)
- 1.2 The **product** of an unknown number and 3. (1)
- 1.3 The **difference** between a certain number and 8. (1)
- 1.4 Two more than double a number. (2)
- 1.5 The **quotient** of an unknown number and 5 is squared. (2)
- 1.6 The **sum** of an unknown number and 5, is multiplied by 2. (2)
- 1.7 Double the **sum** of an unknown number and y . (2)

- 1.8 The **difference** between an unknown number squared and twice that same number. (2)
- 1.9 The **difference** between an unknown number and 7 is divided by the square root of the same unknown number. (2)
- 1.10 The **product** of an unknown number and y , decreased by 15. (2)

2. Give expressions for the following and simplify where possible:

Time (Seconds, Minutes, Hours)

- 2.1 The number of minutes in 3 hours and 20 minutes. (2)
- 2.2 The number of seconds in p minutes and 16 seconds. (2)

Cost

	$C = \text{Price} \times \text{Number}$ $P = \frac{\text{Cost}}{\text{Number}}$ $N = \frac{\text{Cost}}{\text{Price}}$
--	--

- 2.3 The amount a customer will pay for 4 shirts that cost R80 each. (2)
- 2.4 The amount a customer will pay for 2 pairs of jeans that cost m rands each with a discount of n rands per pair. (2)
- 2.5 The amount a customer will pay for an item that costs R100 and has a discount of R20 per item. (2)


- 2.6 The amount a customer will pay for 5 pairs of jeans that cost x Rand each, with a discount of R10 per pair. (2)
- 2.7 The amount paid per banana if R20 was paid for a bag of 10 bananas. (2)
- 2.8 The amount paid per apple if p rand is paid for a bag of q apples. (2)

Months & Years

- 2.9 The number of months in 8 years and 5 months. (2)
- 2.10 The number of months in t years and p months. (2)

Age

- 2.11 A husband is 4 years older than his wife who is 45 years old. (2)
- 2.12 A father is 28 years older than his son who is x years old. (2)
- 2.13 A boy's sister is double his age. If he is 4 years old, how old is his sister? (2)
- 2.14 A boy is double the age of his brother who is x years old. (2)
- 2.15 The age of a person 5 years ago who is r years old now. (2)
- 2.16 A girl is twice as old as her brother. He is x years old.
Write down:
(a) the girl's age
(b) the age of her brother 5 years ago
(c) the girl's age 5 years ago (3)



Speed, Distance, Time

- 2.17 The distance a car travels in 1,5 hours if it travels at 100 km/h. (2)
- 2.18 The distance a car travels in x hours if it travels at y km/h. (2)
- 2.19 The speed a car is travelling if it goes m km in n hours. (2)
- 2.20 How long will it take a car to travel s km if it travels at v km/h. (2)

Rate

- 2.21 The amount of money earned if you are paid R20 an hour and you work for 6 hours. (2)
- 2.22 The amount of money earned if you are paid Rx an hour and you work for y hours. (2)
- 2.23 It takes one person 12 days to build a wall. How many days will it take 2 people to build the same wall? (2)
- 2.24 (a) A typist can type a document in 5 hours. How long will it take 2 typists to type the same document? (1)
- (b) A typist can type a document in x hours. Write an expression for the time it would take 3 typists to type the same document. (1)



Simplifying Algebraic Expressions



Exercise 8.2

Answers on p. A33

1. If $A = 3x^2 + 5x - 2$; $B = -2x - x^2 + 7$; $C = -5 + 2x^2 + x$ determine the following:
- 1.1 $A + C$ (3) 1.2 $C - B$ (4)
- 1.3 the product of A and -2 (3)
2. Consider the following expressions:
- A: $3x^2 - 2 + 4x$
 B: $2x - 6x^2 + 5x^2$
 C: $4 - 2x^2 + 3x$
- 2.1 Determine the value of $A + B + C$ (4)
- 2.2 Determine $-3A$ (3)
- 3.1 Subtract $3x^2 - 2x - 7$ from $4x^2 - 2x - 6$. (3)
- 3.2 From $5 - 7y + y^2$, subtract $11 + 7y - 5y^2$. (3)
4. Determine the following:
- 4.1 Divide $8x^5y^4 - 12x^2y^3 + 24x^4y^5$ by $-4x^2y^3$ (3)
- 4.2 Multiply $3x^2y - 2xy^2$ by $-x^3y$ (2)
- 4.3 Divide $-16a^3b^2 + 24ab - 8b^3$ by $-8ab$ (3)
- 4.4 If $A = (2x - y)$, $B = 2$ and $C = (x + 3y)$, find and simplify $AB - C$. (4)
5. Given $P = 3m^2 - mn$ and $Q = m^2 - 2mn$, find
- 5.1 $P - 3Q$ in terms of m and n . (3)
- 5.2 x , if $x = 3(P - 3Q)$ and $m = -1$ and $n = 2$. (5)

Consolidation of Algebraic Expressions


Exercise 8.3

Answers on p. A34

Simplify the following:

1. $3 \times a \times b$ (1)
2. $5p \times -3q$ (1)
3. $-(-3x)(-2x)$ (2)
4. $x^7 \cdot x \cdot x^2$ (2)
5. $7y^3z^4 \times 3y^3z$ (2)
6. $(4m^8)^2 \div 8m^{10}$ (3)
7. $4x^5y^4 \div (-2xy^3)$ (3)
8. $(a \times a \times a)^2 - 2(a \times a)^3$ (3)
9. $[-(2pq)^2]^3$ (3)
10. $(-2x^2)^3 \div 2$ (3)
11. $3 \times (a + b)$ (2)
12. $3x(x + 5)$ (2)
13. $-4x(x + 2y)$ (2)
14. $2p^2 - 3pq + 2qp - 2p$ (2)
15. $-7c - (-5c)$ (3)
16. $7 - m \times 3 + 7m$ (3)
17. $5a - 4(a + 1)$ (2)
18. $2ab + 2a(b + 3)$ (2)
19. $5(3m - 4n + 1)$ (3)
20. $-3mn(m^3 - m^2n + n^5)$ (3)


21. $3x^2y(2xy^3 - 5xy^2 + xy)$
22. $+2a^2bc^3(2ab^2c + 2^2a^2bc^2 - 2^3abc)$
23. $(14x^3 - 21x) \div 7x$
24. $5 - 2(x + y) - (2y - 2x)$
25. $-3(2y - 3x) - 2(x + y)$
26. $-2(y - x)(-2) - (x - 3) - y$
27. $4ab^2 - 3b^2a + 2a \times (-3b)b - 2a$
28. $\frac{15p - 10q + 5pq}{5}$
29. $\frac{28m - 20mn}{4}$
30. $\frac{5a^2b - ab^3}{ab}$
31. $\frac{15a - 21}{-3a}$
32. $\frac{y^2 + y - 7y - 18y^3 + 11y^2}{6y}$
33. $x^2 \times x^0 + 2x - 2x^2$
34. $(-48t^4s - 12t^2s^5) \div (12ts)$
35. $\frac{(2 + 3)(x^2 + 3)}{15}$
36. $[(7y \times x)^2 + 7x^2y^2] \div 4xy^2$
37. $\sqrt{49x^{22}y^{16}}$
38. $\sqrt{25x^2 - 9x^2} \div 4x$
39. $\sqrt[3]{(8d^3)^2} - 3d(d + 2)$
40. $\frac{12x \times 0}{3}$



- (3) **A fun puzzle** *Answers on p. A35*
- (3) Read the questions and complete the crossword puzzle.
- (3) **Across**
1. $2(x + y) = 2x + 2y$ shows the _____ law.
 2. In an algebraic expression x is called a _____.
 3. $\{4; 6; 8; 9; 10; 12; 14; 15\}$ are _____ numbers from 1 to 15.
 4. An algebraic expression with three terms is a _____.
 5. A number into which only one and itself can divide is a _____ number.
 6. A number which can be written in the form $\frac{a}{b}$ where a and b are integers, is a _____ number.
 7. $\frac{5 + 2 \times 6}{0}$ is _____.
- (3) **Down**
1. The number you divide by to get a quotient is the _____.
 8. $Q \cup Q'$ = the set of _____ numbers.
 9. Any fractions which are not equivalent fractions are _____.
 10. $\frac{1}{5}$ is the multiplicative _____ of 5.
 11. 0 is the _____ element for addition.
 12. $\{1; 2; 3; 6\}$ are the _____ of 6.








Q = set of rational numbers
 Q' = set of irrational numbers



NOTES

16 AREA & PERIMETER OF 2D SHAPES: FORMULAE


2D Shapes	Perimeter (P)	Area (A)
	The sum of the outer boundary lengths of a 2D shape.	The surface enclosed by the boundary lengths of a 2D shape.
Square s = side 	Perimeter = $4 \times \text{side}$ $\therefore P = 4s$	Area = side \times side $= (\text{side})^2$ $\therefore A = s^2$
Rectangle ℓ = length b = breadth 	Perimeter = $(2 \times \text{length}) + (2 \times \text{breadth})$ $\therefore P = 2\ell + 2b$ $= 2(\ell + b)$	Area = length \times breadth $\therefore A = \ell \times b$
Triangle a = side ₁ b = base c = side ₂ h = ⊥ height 	Perimeter = side ₁ + base + side ₂ $\therefore P = a + b + c$	Area = $\frac{1}{2} \text{base} \times \perp h$ $\therefore A = \frac{1}{2} b \times \perp h$ OR Area = $\frac{\text{base} \times \text{height}}{2}$ $\therefore A = \frac{b \times h}{2}$
Circle r = radius d = diameter = 2r 	Circumference = $2 \times \pi \times \text{radius}$ OR = $\pi \times \text{diameter}$ (where $\pi = \frac{22}{7}$ or 3,14) $\therefore C = 2\pi r$ OR $C = \pi d$	Area = $\pi \times (\text{radius})^2$ $\therefore A = \pi r^2$ 

SI Units & Conversions

Small unit \rightarrow big unit: \div


Big unit \rightarrow small unit: \times

Perimeter



multiply \rightarrow

Area



multiply \rightarrow

Since the area is the product of 2D lengths, we need to \times or \div by the (conversion factor)².

In calculations, always check that the units are the same.









Area & Perimeter





Exercise 16.1

Answers on p. A65

1. Find the area and perimeter of the following shapes:




2. The following two pictures both have a frame with a width of 2 cm:



2.1 Which frame has the smallest perimeter? (4)

2.2 Which picture has the largest area? (6)

3. Calculate the perimeter and area of the following shapes:





First calculate in the given unit (e.g. cm) and only convert to the asked units (e.g. mm²) in your final answer.

Give your answers in mm and mm². (10)

3.2 Kite JKLM has the following dimensions:


- ▶ JK = 2 cm
- ▶ LM = 3,5 cm
- ▶ KM = 3 cm
- ▶ JL = 4,5 cm



Give your answer in cm and cm². (12)




4. The school decides to build a new swimming pool. If a swimming pool costs R2 100/m², how much will it cost the school to build the swimming pool?






5. Determine the area of the shaded region if the radius of the circle is 9 cm.

Give your answer in mm².



6. Calculate the area of the shaded parts in the shapes below:



(18)


Solving problems using Area and Perimeter



Exercise 16.2


Answers on p. A67

1. The area of the rectangle alongside is 48 cm^2 .



Determine the value of x .

(4)



Find algebraic expressions for :

- 2.1 The area of the rectangle. (3)
 2.2 The perimeter of the rectangle. (3)
 2.3 If the area of the rectangle is 60 cm^2 , find the value of x . (4)


3. If the area of a Compact Disc (CD) is $10\,568 \text{ mm}^2$, calculate the radius of the CD. (Ignore the hole in the middle.) (4)



4. A circular rotating water spray covers an area of 12 m^2 . How far away from the spray would you have to stand if you don't want to get wet? Round off your answer to the nearest metre. (6)


5. The diagram below shows three circles, each with a diameter of 12 cm .

Each vertex of the triangle is at the centre of a circle.



What is the perimeter of the triangle? (4)



6. Given quadrilateral PQRS:



Refer to p. 37 (Q1.7) to refresh your memory!


- 6.1 Name the quadrilateral PQRS, giving a reason for your answer. (2)
 6.2 $\hat{T}_1 = \underline{\hspace{2cm}}$
 Give a reason for your answer. (2)
 6.3 If $PT = 8 \text{ cm}$ and $QS = 12 \text{ cm}$, calculate the length of PQ giving a reason. (6)
 6.4 Now, if $TR = 2PT$, calculate the perimeter of PQRS to the closest cm. (4)
 6.5 Calculate the area of quadrilateral PQRS. (5)

7. The Yin-Yang symbol below is made up of a black and a white section. The black teardrop shape is given as a sketch with dimensions.



(8)

8. The diagram alongside represents a rectangle. The perimeter of the rectangle is 37 cm .




The length and breadth are given in the diagram.

What is the value of x in the diagram? (6)

9. The radius of a car's wheel is 42 cm . What distance, in kilometres, has the car travelled after 2 000 revolutions of the wheel? (7)



- 10.



$EF = 2EH$ (EF is twice the length of EH)

If the perimeter of $EFGH$ is 30 cm , calculate the length of FG . (Let EH be x) (6)

8 ALGEBRAIC EXPRESSIONS (Part 2)

Sum	➔	+	... Add
Difference	➔	-	... Subtract
Product	➔	×	... Multiply
Quotient	➔	÷	... Divide



Algebraic Language



Exercise 8.1

Questions on p. 26

- | | |
|----------------------------------|-----------------------------------|
| 1.1 $x + 7$ | 1.2 $x \times 3 = 3x$ |
| 1.3 $x - 8$ | 1.4 $2x + 2$ |
| 1.5 $\left(\frac{x}{5}\right)^2$ | 1.6 $(x + 5) \times 2 = 2(x + 5)$ |
| 1.7 $2(x + y)$ | 1.8 $x^2 - 2x$ |
| 1.9 $\frac{x-7}{\sqrt{x}}$ | 1.10 $x \times y - 15 = xy - 15$ |

Time (Seconds, Minutes, Hours)

- 2.1 number of minutes = $3 \times 60 + 20$
 = $180 + 20$
 = 200 minutes
- 2.2 number of seconds = $p \times 60 + 16$
 = $(60p + 16)$ seconds

60 seconds
in a minute

60 minutes
in an hour

Cost

- 2.3 amount = 4×80
 = R320
- 2.4 $2(m - n)$
- 2.5 amount = $100 - 20$
 = R80
- 2.6 $5(x - 10)$ Rand
- 2.7 amount per banana = $\frac{20}{10}$
 = R2 per banana
- 2.8 amount per apple = $\frac{p}{q}$



Months & Years

- 2.9 number of months = $8 \times 12 + 5$
 = $96 + 5$
 = 101 months
- 2.10 number of months = $t \times 12 + p = 12t + p$

Age

- 2.11 husband's age = $45 + 4$
 = 49 years
- 2.12 father's age = $x + 28$
- 2.13 sister's age = 2×4
 = 8 years
- 2.14 boy's age = $2 \times x$
 = $2x$ years
- 2.15 age of person 5 years ago = $(r - 5)$ years
- 2.16 (a) $2x$ years
 (b) $(x - 5)$ years
 (c) $(2x - 5)$ years



Speed, Distance, Time

- 2.17 Distance = $1,5 \times 100$
 = 150 km
- 2.18 Distance = $x \times y$
 = xy km
- 2.19 Speed = $\frac{m}{n}$ km/h
- 2.20 Time = $\frac{S}{v}$ hours

Rate

- 2.21 amount earned = 20×6
 = R120
- 2.22 amount earned = $x \times y$
 = Rxy



- 2.23 $1 \times 12 = 12$
 $\therefore 2 \times 6 = 12$

It will take 2 people 6 days to build the same wall.
 [The more people, the less time needed.]

- 2.24 (a) $2\frac{1}{2}$ hours ... $5 \div 2$ or $\frac{5}{2}$
 (b) $\frac{x}{3}$ hours

Simplifying Algebraic Expressions



Exercise 8.2

Questions on p. 27

- 1.1 $A + C$
 = $(3x^2 + 5x - 2) + (-5 + 2x^2 + x)$
 = $3x^2 + 5x - 2 - 5 + 2x^2 + x$
 = $5x^2 + 6x - 7$
- 1.2 $C - B$
 = $(-5 + 2x^2 + x) - (-2x - x^2 + 7)$
 = $-5 + 2x^2 + x + 2x + x^2 - 7$
 = $3x^2 + 3x - 12$

$$\begin{aligned}
 1.3 \quad A \times -2 & \\
 &= -2A \\
 &= -2(3x^2 + 5x - 2) \\
 &= -6x^2 - 10x + 4
 \end{aligned}$$

$$\begin{aligned}
 2.1 \quad A + B + C & \\
 &= (3x^2 - 2 + 4x) + (2x - 6x^2 + 5x^2) + (4 - 2x^2 + 3x) \\
 &= 3x^2 - 2 + 4x + 2x - 6x^2 + 5x^2 + 4 - 2x^2 + 3x \\
 &= 9x + 2
 \end{aligned}$$

$$\begin{aligned}
 2.2 \quad -3A &= -3(3x^2 - 2 + 4x) \\
 &= -9x^2 - 12x + 6
 \end{aligned}$$

$$\begin{array}{ll}
 3.1 \quad \frac{4x^2 - 2x - 6}{x^2 + 1} & 3.2 \quad \frac{y^2 - 7y + 5}{6y^2 - 14y - 6} \\
 \frac{3x^2 - 2x - 7}{x^2 + 1} & \frac{-5y^2 + 7y + 11}{6y^2 - 14y - 6}
 \end{array}$$

$$\begin{aligned}
 4.1 \quad & \frac{8x^5y^4 - 12x^2y^3 + 24x^4y^5}{-4x^2y^3} \\
 &= \frac{8x^5y^4}{-4x^2y^3} + \frac{-12x^2y^3}{-4x^2y^3} + \frac{24x^4y^5}{-4x^2y^3} \\
 &= -2x^3y + 3 - 6x^2y^2
 \end{aligned}$$

$$\begin{aligned}
 4.2 \quad & -x^3y(3x^2y - 2xy^2) \\
 &= -3x^5y^2 + 2x^4y^3
 \end{aligned}$$

$$\begin{aligned}
 4.3 \quad & \frac{-16a^3b^2 + 24ab - 8b^3}{-8ab} \\
 &= \frac{-16a^3b^2}{-8ab} + \frac{24ab}{-8ab} + \frac{-8b^3}{-8ab} \\
 &= 2a^2b - 3 + \frac{b^2}{a}
 \end{aligned}$$

$$\begin{aligned}
 4.4 \quad AB - C & \\
 &= (2x - y) \times 2 - (x + 3y) \\
 &= 2(2x - y) - (x + 3y) \\
 &= 4x - 2y - x - 3y \\
 &= 3x - 5y
 \end{aligned}$$



$$\begin{aligned}
 5.1 \quad P - 3Q & \\
 &= (3m^2 - mn) - 3(m^2 - 2mn) \\
 &= 3m^2 - mn - 3m^2 + 6mn \\
 &= 5mn
 \end{aligned}$$

$$\begin{aligned}
 5.2 \quad x &= 3(P - 3Q) \\
 &= 3(5mn) \quad \dots \quad P - 3Q = 5mn \text{ from Q5.1} \\
 &= 15mn \\
 &= 15(-1)(2) \quad \dots \quad \text{given } m = -1 \text{ and } n = 2 \\
 &= -30
 \end{aligned}$$

Consolidation of Algebraic Expressions

Exercise 8.3

Questions on p. 27

$$1. \quad 3 \times a \times b = 3ab$$

$$2. \quad 5p \times -3q = -15pq$$

$$3. \quad -(-3x)(-2x) = -6x^2$$

$$4. \quad x^7 \cdot x \cdot x^2 = x^{7+1+2} = x^{10}$$

$$5. \quad 7y^3z^4 \times 3y^3z = 21y^6z^5$$

$$6. \quad (4m^8)^2 \div 8m^{10} = \frac{16m^{16}}{8m^{10}} = 2m^6$$

$$7. \quad 4x^5y^4 \div (-2xy^3) = \frac{4x^5y^4}{-2xy^3} = -2x^4y$$

$$8. \quad (a \times a \times a)^2 - 2(a \times a)^3 = (a^3)^2 - 2(a^2)^3 = a^6 - 2a^6 = -a^6$$

$$9. \quad [-(2pq)^2]^3 = [-(4p^2q^2)]^3 = -64p^6q^6$$

$$10. \quad (-2x^2)^3 \div 2 = \frac{-8x^6}{2} = -4x^6$$

$$11. \quad 3 \times (a + b) = 3a + 3b$$

$$12. \quad 3x(x + 5) = 3x^2 + 15x$$

$$13. \quad -4x(x + 2y) = -4x^2 - 8xy$$

$$14. \quad 2p^2 - 3pq + 2qp - 2p = 2p^2 - 3pq + 2pq - 2p = 2p^2 - pq - 2p$$

... *commutative law:*
 $p \times q = q \times p$

$$15. \quad -7c - (-5c) = -7c + 5c = -2c$$

$$16. \quad 7 - m \times 3 + 7m = 7 - 3m + 7m = 7 + 4m$$

$$17. \quad 5a - 4(a + 1) = 5a - 4a - 4 = a - 4$$

$$18. \quad 2ab + 2a(b + 3) = 2ab + 2ab + 6a = 4ab + 6a$$


$$19. \quad 5(3m - 4n + 1) = 15m - 20n + 5$$

$$20. \quad -3mn(m^3 - m^2n + n^5) = -3m^4n + 3m^3n^2 - 3mn^6$$

$$21. \quad 3x^2y(2xy^3 - 5xy^2 + xy) = 6x^3y^4 - 15x^3y^3 + 3x^3y^2$$

$$22. \quad +2a^2bc^3(2ab^2c + 2^2a^2bc^2 - 2^3abc) = 4a^3b^3c^4 + 8a^4b^2c^5 - 16a^3b^2c^4$$

$$23. \quad \frac{14x^3 - 21x}{7x} = \frac{14x^3}{7x} - \frac{21x}{7x} = 2x^2 - 3$$



$$\begin{aligned}
 24. \quad & 5 - 2(x + y) - (2y - 2x) \\
 & = 5 - 2x - 2y - 2y + 2x \\
 & = 5 - 4y
 \end{aligned}$$

$$\begin{aligned}
 25. \quad & -3(2y - 3x) - 2(x + y) \\
 & = -6y + 9x - 2x - 2y \\
 & = 7x - 8y
 \end{aligned}$$

$$\begin{aligned}
 26. \quad & -2(y - x)(-2) - (x - 3) - y \\
 & = (-2)(-2)(y - x) - (x - 3) - y \\
 & = 4(y - x) - (x - 3) - y \\
 & = 4y - 4x - x + 3 - y \\
 & = 3y - 5x + 3
 \end{aligned}$$

$$\begin{aligned}
 27. \quad & 4ab^2 - 3b^2a + 2a \times (-3b)b - 2a \\
 & = 4ab^2 - 3b^2a + 2ab(-3b) - 2a \\
 & = 4ab^2 - 3ab^2 - 6ab^2 - 2a \\
 & = -5ab^2 - 2a
 \end{aligned}$$

$$\begin{aligned}
 28. \quad & \frac{15p - 10q + 5pq}{5} \\
 & = \frac{15p}{5} - \frac{10q}{5} + \frac{5pq}{5} \\
 & = 3p - 2q + pq
 \end{aligned}$$

$$\begin{aligned}
 29. \quad & \frac{28m - 20mn}{4} \\
 & = \frac{28m}{4} - \frac{20mn}{4} \\
 & = 7m - 5mn
 \end{aligned}$$

$$\begin{aligned}
 30. \quad & \frac{5a^2b - ab^3}{ab} \\
 & = \frac{5a^2b}{ab} - \frac{ab^3}{ab} \\
 & = 5a - b^2
 \end{aligned}$$

$$\begin{aligned}
 31. \quad & \frac{15a - 21}{-3a} \\
 & = \frac{15a}{-3a} - \frac{21}{-3a} \\
 & = -5 + \frac{7}{a}
 \end{aligned}$$

$$\begin{aligned}
 32. \quad & \frac{y^2 + y - 7y - 18y^3 + 11y^2}{6y} \\
 & = \frac{-18y^3 + 12y^2 - 6y}{6y} \\
 & = \frac{-18y^3}{6y} + \frac{12y^2}{6y} - \frac{6y}{6y} \\
 & = -3y^2 + 2y - 1
 \end{aligned}$$

$$\begin{aligned}
 33. \quad & x^2 \times x^0 + 2x - 2x^2 \\
 & = x^2 + 2x - 2x^2 \\
 & = -x^2 + 2x
 \end{aligned}$$

$$\begin{aligned}
 34. \quad & (-48t^4s - 12t^2s^5) \div (12ts) \\
 & = \frac{-48t^4s - 12t^2s^5}{12ts} \\
 & = \frac{-48t^4s}{12ts} - \frac{12t^2s^5}{12ts} \\
 & = -4t^3 - ts^4
 \end{aligned}$$

$$\begin{aligned}
 35. \quad & \frac{(2 + 3)(x^2 + 3)}{15} \\
 & = \frac{15(x^2 + 3)}{15 \cdot 3} \\
 & = \frac{x^2 + 3}{3} \left(= \frac{x^2}{3} + 1 \right)
 \end{aligned}$$

$$\begin{aligned}
 36. \quad & [(7y \times x)^2 + 7x^2y^2] \div 4xy^2 \\
 & = (49x^2y^2 + 7x^2y^2) \div 4xy^2 \\
 & = \frac{56x^2y^2}{4xy^2} \\
 & = 14x
 \end{aligned}$$

$$37. \quad \sqrt{49x^{22}y^{16}} = 7x^{11}y^8$$


$$\begin{aligned}
 38. \quad & \sqrt{25x^2 - 9x^2} \div 4x \\
 & = \frac{\sqrt{16x^2}}{4x} \\
 & = \frac{4x}{4x} \\
 & = 1
 \end{aligned}$$

$$\begin{aligned}
 39. \quad & \sqrt[3]{(8d^3)^2} - 3d(d + 2) \\
 & = \sqrt[3]{64d^6} - 3d(d + 2) \\
 & = 4d^2 - 3d^2 - 6d \\
 & = d^2 - 6d
 \end{aligned}$$


$$\begin{aligned}
 40. \quad & \frac{12x \times 0}{3} \\
 & = \frac{0}{3} \\
 & = 0
 \end{aligned}$$

A fun puzzle

Questions on p. 28




6. $\text{distance}^2 + 10^2 = 12,5^2$... *Pythagoras*
 $\therefore \text{distance}^2 = 12,5^2 - 10^2$
 $= 156,25 - 100$
 $= 56,25$
 $\therefore \text{distance} = \sqrt{56,25}$
 $= 7,5 \text{ m}$
 \therefore the ladder will need to be placed 7,5 m from the wall.



7. $12^2 + BC^2 = 15^2$... *Pythagoras*
 $\therefore BC^2 = 15^2 - 12^2$
 $= 225 - 144$
 $= 81$
 $\therefore BC = \sqrt{81}$
 $= 9 \text{ m}$

$$BD = BC + CD$$

- $\therefore x = 9 \text{ m} + 1,5 \text{ m}$
 $= 10,5 \text{ m}$



- 8.1 rectangle
 8.2 $\hat{G} = \hat{H} = \hat{I} = 90^\circ$
 8.3 a right-angled triangle
 8.4 $GJ^2 + GH^2 = HJ^2$... *Pythagoras*

- $\therefore 10^2 + 24^2 = HJ^2$
 $\therefore HJ^2 = 10^2 + 24^2$
 $\therefore HJ^2 = 100 + 576$
 $\therefore HJ^2 = 676$
 $\therefore \sqrt{HJ^2} = \sqrt{676}$
 $\therefore HJ = 26 \text{ cm}$



16 AREA & PERIMETER OF 2D SHAPES

Area & Perimeter



Exercise 16.1

Questions on p. 52

- 1.1 Area = $\ell \times b$ & Perimeter = $2\ell + 2b$
 $= 40 \text{ mm} \times 15 \text{ mm}$ $= 2(40) + 2(15)$
 $= 600 \text{ mm}^2$ $= 80 + 30$
 $= 110 \text{ mm}$

- 1.2 diameter = 10 cm ; \therefore radius = 5 cm
 \therefore Area = πr^2 & Perimeter = $2\pi r$
 $= \pi(5)^2$ $= 2\pi(5)$
 $= 78,54 \text{ cm}^2$ $= 31,42 \text{ cm}$



OR $P = \pi d$
 $= \pi(10)$
 $= 31,42 \text{ cm}$

- 1.3 Area = s^2 & Perimeter = $4s$
 $= (6)^2$ $= 4(6)$
 $= 36 \text{ m}^2$ $= 24 \text{ m}$

- 1.4 Area = $\frac{1}{2} b \times \perp h$ OR Area = $\frac{b \times h}{2}$
 $= \frac{1}{2} \times 12 \times 5$ $= \frac{12 \times 5}{2}$
 $= 30 \text{ cm}^2$ $= 30 \text{ cm}^2$

$$AB^2 = AC^2 + BC^2 \quad \dots \text{Pythagoras}$$

$$AB^2 = 12^2 + 5^2$$

$$\therefore = 144 + 25$$

$$= 169$$

$$AB = \sqrt{169}$$

$$= 13 \text{ cm}$$

- \therefore Perimeter = $a + b + c$
 $= 12 + 5 + 13$
 $= 30 \text{ cm}$



- 1.5 Fraction or sector of circle missing = $\frac{36^\circ}{360^\circ} = \frac{1}{10}$

$$\therefore \text{Fraction of circle} = \frac{10}{10} - \frac{1}{10} = \frac{9}{10}$$

$$\therefore \text{Area of } \frac{9}{10} \text{ of circle} = \frac{9}{10} \times \pi r^2$$

$$= \frac{9}{10} \times \pi(7)^2$$

$$= 138,54 \text{ cm}^2$$

$$\text{Circumference of } \frac{9}{10} \text{ of circle} = \frac{9}{10} \times 2\pi r$$


$$= \frac{9}{10} \times 2\pi(7)$$

$$= 39,58 \text{ cm}$$

\therefore Total circumference of shape
 $=$ circumference of $\frac{9}{10}$ of circle $+ 2 \times$ radii
 $= 39,58 + (2 \times 7)$
 $= 53,58 \text{ cm}$

- 2.1 Frame A: $P = 2(\ell + b)$
 $= 2(20,5 + 14)$
 $= 69 \text{ cm}$
- Frame B: $P = 2(\ell + b)$
 $= 2(18 + 13)$
 $= 62 \text{ cm}$

\therefore Frame B has the smallest perimeter.



\therefore length of picture = $20,5 \text{ cm} - 2 \text{ cm} - 2 \text{ cm} = 16,5 \text{ cm}$
 breadth of picture = $14 \text{ cm} - 2 \text{ cm} - 2 \text{ cm} = 10 \text{ cm}$

\therefore Area of picture = $\ell \times b$
 $= 16,5 \text{ cm} \times 10 \text{ cm}$
 $= 165 \text{ cm}^2$



PAPER E1

1½ hours
100 marks

Answers on p. M13

All necessary working must be shown in its proper place with the answer.

No calculator may be used in this paper.

Diagrams are not necessarily drawn to scale.

QUESTION 1

Complete the table below.

Put ticks in the correct places to classify each number.

	Natural	Integer	Rational	Irrational	Real	Imaginary
-3						
4π						
$\sqrt{-7}$						
$\sqrt{36}$						

[4]

QUESTION 2

Remember:



2.1 Write down the lowest common multiple of 10 and 12. (1)

2.2 Which is bigger: 13,2 or $\sqrt{163}$? (1)
(Explain your answer.)

2.3 How many whole numbers lie between $\sqrt{8}$ and $\sqrt{80}$? (1)

2.4 Consider the numbers: -7 ; -5 ; -1 ; 1 ; 3
Using only two of the above numbers, what is the smallest product one could make? (1)

2.5 Write down the factors of 18. (2)

2.6 Simplify $\frac{10^7}{5 \times 10^4}$ (2)

2.7 \diamond and Δ are natural numbers and $\diamond \times \Delta = 36$.
What is the largest possible value of $\diamond - \Delta$? (2)

[10]

QUESTION 3

3.1 Simplify:

3.1.1 $1\frac{1}{2} + 3\frac{2}{3}$ 3.1.2 $1\frac{5}{16} \div 2\frac{11}{12}$ (3)(3)

3.2 n^{-1} means the reciprocal of n .

So, $5^{-1} = \frac{1}{5}$, for example.

Which of the following are true? Write down the letter(s) that correspond to all the correct statements.

A $3^{-1} + 6^{-1} = 9^{-1}$

B $6^{-1} - 4^{-1} = 2^{-1}$

C $2^{-1} \times 6^{-1} = 12^{-1}$

D $10^{-1} \div 5^{-1} = 2^{-1}$ (2)[8]

QUESTION 4

4.1 A pet shop sells only dogs, cats and mice in the ratio 2 : 3 : 30. If there are 385 animals in total, how many cats are there in the shop? (2)

4.2 Matthew began peeling a pile of 44 potatoes at a rate of 3 potatoes per minute. Four minutes later Charles joined him and peeled at a rate of 5 potatoes per minute.

When they finished, how many potatoes had Charles peeled? (3)

4.3 If $\frac{x}{y} = \frac{2}{3}$ and $\frac{y}{z} = \frac{7}{5}$ find the value of $\frac{z}{x}$. (3)[8]

QUESTION 5

Given: $3x - 4x^2 + 2x^3 - 1$

5.1 What is the degree of the expression? (1)

5.2 What is the coefficient of x^3 ? (1)

5.3 Write down the constant term. (1)

5.4 What is the value of the expression if $x = 1$? (1)

5.5 Rearrange the expression in descending powers of x . (1)[5]

QUESTION 6

Simplify:

6.1 $-4x + 6x - x$ (1)

6.2 $-6x^2 - (-x^2)$ (1)

6.3 $-4(x + 2y)$ (2)

6.4 $\sqrt[3]{27x^{27}}$ (2)


6.5 $-3x^2y \times 4xy^3$ (2)

6.6 $-(2x^2)^3$ (2)

6.7 $\frac{4x^4}{16x^{16}}$ (2)

6.8 $3x - x(2x + 1)$ (2)

6.9 $\frac{6x^3 \times (-4x^2)}{-12x} - (2x)^4$ (4)[18]



QUESTION 7


7.1 If $a = -2$, which is the largest number in the set

$\{-3a; 4a; \frac{24}{a}; a^2; 1\}$? (2)

7.2 Subtract: $3x - 4y - z$
 $-x - 3y + z$ (3)

7.3 Multiply: $-5xy^2(4x^3 - xy^3)$ (2)

7.4 Divide: $\frac{9x^3y^2 - 27xy^4}{-9xy^2}$ (2)[9]





PAPER E1

1½ hours
100 marks

Questions on p. E11

Remember: NO CALCULATOR



1.

	Natural	Integer	Rational	Irrational	Real	Imaginary
-3		✓	✓		✓	
4π				✓	✓	
√-7						✓
√36	✓	✓	✓		✓	

2.1 60 ◀ ...

$10 = 2 \times 5$ and $12 = 2^2 \times 3$
 $\therefore LCM = 2^2 \times 3 \times 5$
 OR 10, 20, 30, 40, 50, **60**, 70, ...
 12, 24, 36, 48, **60**, 70, ...

2.2 (Note: No calculator allowed!)

$\sqrt{169} = 13 \quad \dots \quad 13^2 = 169$

$\therefore \sqrt{163} < 13$

$\therefore 13, 2$ is bigger than $\sqrt{163}$ ◀



2.3 $\sqrt{8} < \sqrt{9} = 3$ and $\sqrt{80} < \sqrt{81} = 9$

\therefore The whole numbers between $\sqrt{8}$ and $\sqrt{80}$ are:
3; 4; 5; 6; 7; 8

\therefore The **number** of whole numbers = **6** ◀ ...

Be sure to answer the question!

2.4 The smallest product
= $(-7) \times 3 = -21$ ◀

... Trial & error

The smallest will be the number furthest left on the number line!

2.5 $F_{18} = 1; 2; 3; 6; 9; 18$ ◀

2.6 $\frac{10^7}{5 \times 10^4} = \left[\frac{10 \times 10 \times 10 \times \cancel{10} \times \cancel{10} \times \cancel{10} \times \cancel{10}}{5 \times \cancel{10} \times \cancel{10} \times \cancel{10} \times \cancel{10}} \right]$
 $= \frac{10^3}{5}$
 $= \frac{1000}{5}$
 $= 200$ ◀



2.7 $36 - 1 = 35$ ◀ ...

Possibilities:
36 & 1; 18 & 2; 12 & 3; 9 & 4; 6 & 6

3.1.1 $1\frac{1}{2} + 3\frac{2}{3}$
 $= \frac{3}{2} + \frac{11}{3}$
 $= \frac{9 + 22}{6}$
 $= \frac{31}{6}$
 $= 5\frac{1}{6}$ ◀

3.1.2 $1\frac{5}{16} \div 2\frac{11}{12}$
 $= \frac{21}{16} \div \frac{35}{12}$
 $= \frac{3\cancel{21}}{16_4} \times \frac{12^3}{35_5}$
 $= \frac{3 \times 3}{4 \times 5}$
 $= \frac{9}{20}$ ◀

3.2

A: $\frac{1}{3} + \frac{1}{6} = \frac{2}{6} + \frac{1}{6} = \frac{3}{6} = 2^{-1} \neq 9^{-1} \times$

B: $\frac{1}{6} - \frac{1}{4} = \frac{2}{12} - \frac{3}{12} = -12^{-1} \neq 2^{-1} \times$

C: $\frac{1}{2} \times \frac{1}{6} = \frac{1}{12} = 12^{-1} \checkmark$

D: $\frac{1}{10} \div \frac{1}{5} = \frac{1}{10} \times \frac{5}{1} = \frac{1}{2} = 2^{-1} \checkmark$

C and **D** are true ◀

4.1 The number of cats = $\frac{3}{2+3+30}$ of 385
 $= \frac{3}{35} \times \frac{385^{11}}{1}$
 $= \frac{3 \times 11}{1 \times 1}$
 $= 33$ ◀



4.2 **Hint:**
Draw a diagram!

44 potatoes to be peeled											
Minutes	1 st	2 nd	3 rd	4 th	5 th	6 th	7 th	8 th	9 th	10 th	11 th
Potatoes peeled by:											
Matthew	3	3	3	3	3	3	3	3	3	3	3
Charles					5	5	5	5	5	5	5
Total peeled	3	6	9	12	20	28	36	44			

Number of potatoes which Charles peeled = $4 \times 5 = 20$ ◀



Note: The total of 44 potatoes were peeled by the 8th minute.

OR Number of potatoes peeled

- ▶ in the 1st 4 minutes: $4 \times 3 = 12$... Matthew
- ▶ & thereafter:
 $3 + 5 = 8$ per minute ... Matthew & Charles
 for the remaining
 $44 - 12 = 32$ potatoes
 \therefore 4 minutes ... $\frac{32 \text{ potatoes}}{8 \text{ per min}}$

\therefore Number of potatoes Charles peeled = $4 \times 5 = 20$ ◀

4.3 $\frac{x}{y} \times \frac{y}{z} = \frac{2}{3} \times \frac{7}{5}$
 $\therefore \frac{x}{z} = \frac{14}{15}$
 $\therefore \frac{z}{x} = \frac{15}{14}$ ◀



Note the possibility of 'removing' y by cancelling.

If fractions are equal then their inverses are equal.